

NEO1 SINGLE-CIRCUIT LIGHTING TRACK SYSTEM 240V


LED Logical NEO-1 series presents a range of universal 240V single-circuit lighting tracks, designed for versatility and ease of use in various lighting applications. Engineered for seamless integration, these tracks support a wide array of lighting fixtures with compatible universal single-circuit adaptors, offering reliable performance and flexibility in design. Ideal for both residential and commercial spaces, the NEO-1 enhances any environment with its sleek, functional, and adaptable lighting solution. Wide range of accessories and accessory fittings also available

MAIN FEATURES


High quality lighting track, 3-wire single-circuit configuration
Universal style suited to a wide range of track-luminaire brands
Full suite of stocked accessories, adaptors and mounting hardware
Can be customised and tailored for specific projects

SPECIFICATIONS

Track Series	NEO-1
Configuration	Single Circuit
Conductors	3-Wire / 3-Conductors
Track Profile Dimensions	34.3x17.8mm
Mounting Options	Suspended / Surface / Recessed
Recommended Max Current	16A
Maximum Recommended Voltage	240VAC
Materials	Extruded Aluminium & Copper
Available Colours	White / Black / Silver / Custom



NEO-1 surface mounted track



Single phase 230V 16A Max. & 120V 20A MAX.




Model No.	Track length	Profile material	Package	Color
NEO1-1000 Single Circuit Track	1000(mm)	Aluminum extrusion	1 / 12	W □ S ■ B ■
NEO1-2000 Single Circuit Track	2000(mm)	Aluminum extrusion	1 / 12	W □ S ■ B ■
NEO1-3000 Single Circuit Track	3000(mm)	Aluminum extrusion	1 / 9	W □ S ■ B ■
NEO1-4000 Single Circuit Track	4000(mm)	Aluminum extrusion	1 / 9	W □ S ■ B ■

Specifications of products are inherently subject to potential modifications. We kindly request customers to diligently verify product details before placing any specific order to ensure receipt of the exact desired specifications. Industiralight firmly recommends installation and use by only suitably qualified personnel. Always ensure strong, thorough familiarity with this particular product and its vital functions before making any connection. Comprehensive wiring guidelines and additional specifications and references are available by contacting Industiralight. All rights reserved. © Industiralight.

NEO-1 single circuit adaptors


3 Wire NEO1 adaptor

Model No.	Package	Color
NEO-A340S	1 / 150	W □ S ■ B ■




3 Wire NEO1 adaptor

Model No.	Package	Color
NEO-0340S	1 / 150	W □ S ■ B ■




3 Wire NEO1 adaptor

Model No.	Package	Color
NEO-0340	1 / 350	W □ S ■ B ■




3 Wire NEO1 adaptor

Model No.	Package	Color
NEO-0340L	1 / 150	W □ S ■ B ■




Specifications of products are inherently subject to potential modifications. We kindly request customers to diligently verify product details before placing any specific order to ensure receipt of the exact desired specifications. Industiralight firmly recommends installation and use by only suitably qualified personnel. Always ensure strong, thorough familiarity with this particular product and its vital functions before making any connection. Comprehensive wiring guidelines and additional specifications and references are available by contacting Industiralight. All rights reserved. © Industiralight.


NEO-I (single circuit) track system diagram



Specifications of products are inherently subject to potential modifications. We kindly request customers to diligently verify product details before placing any specific order to ensure receipt of the exact desired specifications. Industralight firmly recommends installation and use by only suitably qualified personnel. Always ensure strong, thorough familiarity with this particular product and its vital functions before making any connection. Comprehensive wiring guidelines and additional specifications and references are available by contacting Industralight. All rights reserved. © Industralight.




Specifications of products are inherently subject to potential modifications. We kindly request customers to diligently verify product details before placing any specific order to ensure receipt of the exact desired specifications. Industrialight firmly recommends installation and use by only suitably qualified personnel. Always ensure strong, thorough familiarity with this particular product and its vital functions before making any connection. Comprehensive wiring guidelines and additional specifications and references are available by contacting Industrialight. All rights reserved. © Industrialight.




Live-end connector

Model No.	Package	Color
NEO1-LE	1 / 150	W ☐ S ☐ B ☐




End cap

Model No.	Package	Color
NEO1-EC	1 / 1000	W ☐ S ☐ B ☐




Mini Joiner

Model No.	Package	Color
NEO1-IJ	1 / 400	W ☐ S ☐ B ☐



Straight connector

Model No.	Package	Color
NEO1-IJL	1 / 228	W ☐ S ☐ B ☐




"L" connector

Model No.	Package	Color
NEO1-LJ	1 / 160	W ☐ S ☐ B ☐

Specifications of products are inherently subject to potential modifications. We kindly request customers to diligently verify product details before placing any specific order to ensure receipt of the exact desired specifications. Industiralight firmly recommends installation and use by only suitably qualified personnel. Always ensure strong, thorough familiarity with this particular product and its vital functions before making any connection. Comprehensive wiring guidelines and additional specifications and references are available by contacting Industiralight. All rights reserved. © Industiralight.


"T" connector

Model No.	Package	Color
NEO1-TJ	1 / 108	W □ S ■ B ■




"+" connector

Model No.	Package	Color
NEO1-XJ	1 / 60	W □ S ■ B ■



Flexible connector

Model No.	Package	Color
NEO1-FJ	1 / 60	W □ S ■ B ■



Specifications of products are inherently subject to potential modifications. We kindly request customers to diligently verify product details before placing any specific order to ensure receipt of the exact desired specifications. Industiralight firmly recommends installation and use by only suitably qualified personnel. Always ensure strong, thorough familiarity with this particular product and its vital functions before making any connection. Comprehensive wiring guidelines and additional specifications and references are available by contacting Industiralight. All rights reserved. © Industiralight.



toll-free: 1300 295 367

email:



mail@industiralight.com.au

sales reps:



mobile: 0488 839 917



mobile: 0488 844 503